

# The ONLY Two-Piece System With Long-Term Studies

- Predictable Osseointegration<sup>1</sup>
- No Implant Fractures<sup>2</sup>
- No Peri-Implantitis<sup>2, 3</sup>

1. **Glauser R, Schupbach P.** Early bone formation around immediately placed two-piece tissue-level zirconia implants with a modified surface: an experimental study in the miniature pig mandible. *Int J Implant Dent.* 2022 Sep;14(8):37. doi: 10.1186/s40729-022-00437-z. PMID: 36103094; PMCID: PMC9474793.

2. **Brunello G, Rauch N, Becker K, Hakimi AR, Schwarz F, Becker J.** Two-piece zirconia implants in the posterior mandible and maxilla: a cohort study with a follow-up period of 9 years. *Clin Oral Implants Res.* 2022 Dec;33(12):1233–44. doi: 10.1111/cir.14005. PMID: 36184914.

3. **Karapataki S, Vegh D, Payer M, Fahrenholz H, Antonoglou GN.** Clinical performance of two-piece zirconia dental implants after 5 and up to 12 years. *Int J Oral Maxillofac Implants.* 2023;38:1105–1114. doi: 10.11607/jomi.10284

## The New Standard



Independent long-term studies report no peri-implantitis around two-piece Patent™ Implants – how is this possible?  
Find out on [www.mypatent.com](http://www.mypatent.com)



Patent™ Zirconia Dental Implant System

Switzerland | Tel.: +41 44 552 84 54

