
LaserCUSING: Laser melting with metals



If there's one thing currently generating excitement in terms of production methods, it's 3-D printers. At all the trade fairs, 3-D printers are the big attraction in the industry. Does this signal a departure from a form-based way of thinking in favor of the geometrical freedom of components produced using additive methods? Interested parties are already finding out whether it's possible to print Lego blocks, or—more ambitiously—food items. With so much creativity out there, we wanted to explore what can be accomplished realistically using laser melting with metals in an industrial context. We spoke with Dr Florian Bechmann, Head of Development at Concept Laser, about the current state of technology, trends and options for the near future.

_You recently opened a new development center. It sounds like the industry is rapidly expanding?

That's true. The industrial applications are currently exploding, literally. Laser melting with metals exerts a strong fascination when it comes to the components of the future. As the technology leader, we must support this market process by introducing innovations. When it comes to complex systems, we must ensure a wide-ranging interplay between optics, design, control technology, software and powder material. At our new development center, my colleagues and I are hard at work on "discrete innovations" not intended for disclosure to the general public. Certain industries are quite sensitive...

_Which applications do you mean? Probably those in the automotive industry...?

Yes, but not only there. Sectors that are defining and driving the process forward include the automotive and medical technology sectors, as well as aerospace. These technology drivers not only demand high standards in terms of quality and choice of materials, but also with regard to quantitative aspects, such as increasing productivity. These customers require shorter construction times and more parts in a single-build chamber. We developed the X line 1000R, which currently has the largest build chamber, for the automotive industry. The transition from a 400 W laser to a 1,000 W laser is an important milestone for the process. It was developed in close cooperation with laser specialists from the Fraunhofer Institute. The goal was to develop quicker processes that are also more affordable. One of the applications we had in mind was time-saving development of engines for modern vehicles.

_You mentioned the aerospace sector. How does this industry use the process?

The aerospace sector is driving forward innovations. High quality solutions are in demand here, including the use of reactive materials such as titanium or aluminum-based alloys that can only be produced reliably to a high quality in a closed system. In general, users such as the following are convinced that the process will become increasingly well-established: NASA, the German Aerospace Center, Honeywell, Snecma, Aerojet/Rocketdyne and Astrium Space Transportation from the EADS Group. NASA engineers are even considering using additive manufacturing to produce components on the ISS—in orbit. The advantage of this is the ability to produce parts in



Fig. 1

space using CAD data, provided there is a sufficient stock of powder.

_Are the USA playing a leading role?

In terms of the USA, it can be said that a lot of capital and staff resources are in use. The engineers and students at universities there are fascinated by the possibilities presented by laser melting. Americans are considered to be creative and believers in progress, and to have the necessary drive. Unfortunately, we still have little contact with the aerospace industry in China. At present, we're outside that market. But that doesn't mean it has to stay that way. We Europeans can contribute our research and mechanical engineering capabilities mainly in the USA and Europe. In Europe, the EU promotes this process through projects like AMAZE due to a strong belief in the process's sustainability and high level of innovation.

_Are other sectors getting on board as well?

Of course. After all, the options are attractive. The approach is currently revolutionizing medical technology, for example: traditional process chains are being completely reconceptualised. LaserCUSING parts are in demand as implants since their porous surfaces incorporate well into the body, yet also provide the necessary elasticity. One rising application is the affordable and rapid production of dental prosthetics from biocompatible materials. These are highly adaptable, long-lasting dental solutions instead of dental prosthetics that have to be crafted manually with much effort. The process is even advantageous for retrofitting: worn-out turbine parts can be quickly and affordably regenerated. This kind of application is relevant in power plant engineering and aircraft construction. In this hybrid technique, layers of the exact same material can be applied additively to the existing part. In addition to regeneration, new whole parts are also produced for turbine technology applications. LaserCUSING also allows functionalities such as cooling channels to be integrated, which improve the performance of components. The offshore industry is considering installing laser-melting systems on drilling platforms, which would allow for independent, on-site production of certain components. The technology is not fixed to a specific location and can be operated locally.

Fig. 1_"We are constantly improving our patented Quality Management Module ('QM Module') in order to set the standard in terms of prediction quality and operability, as well as influencing the ongoing construction process."

_Environmental friendliness is one of the major issues of our time. What is the situation from an environmental perspective?

The Laser melting process is highly sustainable: on the one hand, due to the localized production options,



Fig. 2

Fig. 2_"3-D mapping can be expected in the future: this capability would increase the transparency of the process and captures the component in its structural entirety."



Fig. 3a


Fig. 3b

Figs. 3a & b_Sector components (application examples).

which reduce logistic complexity, and on the other, because the process reduces the quantity of material required. There aren't any oil or coolant emissions either, as is often still the case in mechanical engineering processes. Even the residual heat can be used. A 1,000 W laser produces approximately 4 kW of heat, which can be used by building systems if channeled into a cooling water circuit. There are good reasons why laser melting is considered a green technology.

_Will 3-D printers soon become a fixture on our desks, like laser printers are today?

The additive process encompasses this option. But to remain serious: we should distinguish between consumer and industrial applications. Producing LEGO blocks oneself from plastic, using 3-D printing will soon be realistic. The range of materials and scope of applications for ordinary people will remain very limited, however. Producing replacement parts for vintage cars, or cars in general, is certainly also conceivable—but these are industrial applications, once again. We always focus on purely industrial solutions with particular quality standards and material requirements, through to certification of the materials and process. Industrial solutions would be too heavy for a desk (laughs); here, we focus on current metal-processing methods in a production environment.

_If you wanted to describe what makes your system technology special, what would you mention?

Our Quality Management Modules are definitely an important distinguishing feature for us and our customers. I would also mention the separation of the build chamber and handling area, which is characteristic of our products; this offers maximum occupational safety and ergonomics. Our automated powder transport in containers is also practical. Handling materials in a closed system has many advantages. It's important for safety, but also to prevent contamination, such as by oxygen. Safety is very important to us. We comply with the ATEX Directive of the EU very conscientiously. I would also mention interfaces with the production environment, e.g., crane accessibility for building boards weighing up to 80 kg. This is convenient for the operator. Some details are interesting as well: such as filter replacement in processes using reactive materials, such as titanium. The contaminated filter is flushed with water and its contents are then safely disposed of in an environmentally-friendly manner.

_Which other impulses do you see in the future for industrial laser melting?

The scope of applications is growing, which means the range of materials is expanding as well. This requires strong consulting services, which we must provide to the market. The system must also be repeatedly adjusted to accommodate these new materials. At the same time, design requirements for components are also becoming more demanding. This ranges from lightweight construction and largely foam structures to functional integration, such as cooling technology in components. This is very exciting for us since certain developments become possible beyond the confines of one sector thanks to multiplication effects. Another aspect is the growing importance of quality among users. Customers expect active process monitoring and series production capability, i.e., reproducibility at an industrial level.



Fig. 4

Fig. 4_Discrete innovations: the largest build envelope yet for large parts in the automotive and aerospace sectors.

_What's going on in terms of quality requirements?

From the customer's perspective, this is currently the most important area. Customers are interested in geometry, density, productivity and, above all—quality. Two approaches are expedient here: active process monitoring using machine technology and developments in materials. This includes the certification of materials, such as in medical technology, or manufacturer-specific instructions, which must be complied with in the automotive and aerospace sectors.

_What does quality mean in concrete terms for mechanical engineering?

First of all, it's the interplay in the system among optics, mechanics, control technology and software that I mentioned at the outset. The key factors, however, are situated in comprehensive quality monitoring. Active QA means checking, comparing, analyzing and evaluating process data in real time. We are constantly improving our patented Quality Management Module ("QM Module") in order to set the standard in terms of prediction quality and operability, as well as influencing the ongoing construction process.

_Could you describe this QM Module more specifically?

It involves two approaches: 1. QMmeltpool and 2. QMcoating. QMmeltpool means that the system uses a camera and photo diode to record signals during the laser process. This data can then be compared to reference values. The optical system is designed coaxially. It allows the camera to record a very small area of the melting pool approx. 1x1 mm². In other words, it takes a very detailed picture. It can detect impaired laser performance due to contamination of the F-theta lens or caused by natural aging of the laser, as well as deviations in the dosing factor. The second approach is the QMcoating QM module, which ensures that the optimal powder quantity is used. Because only what's needed is used, it saves powder material—up to 25 per cent—while also reducing set-up times. QMcoating monitors the layer surface while powder is being applied. If too little or too much powder is dosed, the dosing factor is adjusted accordingly, i.e., actively counteracted. The two QM modules monitor and document the process, thereby ensuring reproducible quality.

_What developments can be expected in the future?

In the area of process signal analysis in general, also known as the "component map." 2-D maps are generated during the construction process and must ultimately be represented in 3-D models. This is comparable to the images from CT measurement, which is computer tomography, like that familiar from medical technology. This mode of imaging and capability would increase the transparency of the process and captures the component in its structural entirety. Transparency is a highly dynamic, rapid process, which operators can only master with special aids. Another point is the speed of component construction. This figures high on customers' wish lists. There are two methods: on one hand, higher laser output, such as in the X line 1000R (i.e., the jump from a 400 W to a 1,000 W laser) and on the other, using multiple lasers. Multiple laser sources will be able to significantly increase the build rate in the future, though the advantage of employing familiar process parameters has to be weighed against the increasing complexity of the optical arrangement. These concepts involve multiplication not only of the lasers themselves, but also of most of the other optical components as well._

Thank you for this conversation.




Fig. 5




Fig. 6

Fig. 5_Active quality assurance using QMmeltpool: although the human eye is incapable of detecting defects, QMmeltpool nevertheless identifies deviations in component quality.
Fig. 6_QMcoating: without QMcoating, the layer may be insufficiently coated (the red areas indicate a lack of powder material); with the QMcoating approach, however, the powder dosing factor is adjusted within the tolerance range.

_contact laser

Concept Laser GmbH
An der Zeil 8
96215 Lichtenfels, Germany

Tel.: +49 9571 949238
Fax: +49 9571 949249

www.concept-laser.de