

(1) Tests conducted on different devices in our laboratory measuring the difference of the depth created by each device in a given time with the same force applied to the handpiece
(2) Goyal M, Marya K, Jhamb A, Chawla S, Sonoo PR, Singh V, Aggarwal A. Comparative evaluation of surgical outcome after removal of impacted mandibular third molars using a Piezotome® or a conventional handpiece: a prospective study. British Journal of Oral and Maxillofacial Surgery. 2012;50:556–561
(3) Troedhan A, Kurrek A, Wainwright M, Ultrasonic Piezotome surgery; it is a benefit for our patients and does it extend surgery time? A retrospective comparative study on the removal of 100 impacted mandibular 3rd-

(3) Troedhan A, Kurrek A, Wainwright M. Ultrasonic Piezotome surgery: it is a benefit for our patients and does it extend surgery time? A retrospective comparative study on the removal of 100 impacted mandibular 3rd-molars. Open Journal of Stomatology. 2011;1:179-184

CE mark pending - Manufacturer: SATELEC® - France. For dental professional use only.

SATELEC® S.A.S | A Company of ACTEON® Group 17 av. Gustave Eiffel | BP 30216 | 33708 MERIGNAC cedex | FRANCE Tel + 33 (0) 556 340 607 | Fax + 33 (0) 556 349 292 E-mail: info@acteongroup.com | www.acteongroup.com

